The following is taken from RIFFMCI.RTF, "Multimedia Programming Interface and Data Specification v1.0", a Windows RTF (Rich Text Format) file contained in the .zip file, RMRTF.ZRT. The original document is quite long and this constitutes pages 83-95 of the text format version (starting on roughly page 58 of the RTF version).

# Waveform Audio File Format (WAVE)

This section describes the Waveform format, which is used to represent digitized sound.

The WAVE form is defined as follows. Programs must expect (and ignore) any unknown chunks encountered, as with all RIFF forms. However, **<fmt-ck>** must always occur before **<wave-data>**, and both of these chunks are mandatory in a WAVE file.

The WAVE chunks are described in the following sections.

#### WAVE Format Chunk

The WAVE format chunk **<fmt-ck>** specifies the format of the **<wave-data>**. The **<fmt-ck>** is defined as follows:

The fields in the **<common-fields>** chunk are as follows:

Field	Description
wFormatTag	A number indicating the WAVE format category of the file. The content of the <b><format-specific-fields></format-specific-fields></b> portion of the 'fmt' chunk, and the interpretation of the waveform data, depend on this value.
	You must register any new WAVE format categories. See "Registering Multimedia Formats" in Chapter 1, "Overview of Multimedia Specifications," for information on registering WAVE format categories.
	"Wave Format Categories," following this section, lists the currently defined WAVE format categories.
wChannels	The number of channels represented in the waveform data, such as 1 for mono or 2 for stereo.
dwSamplesPerSec	The sampling rate (in samples per second) at which each channel should be played.
dwAvgBytesPerSec	The average number of bytes per second at which the waveform data should be transferred. Playback software can estimate the buffer size using this value.
wBlockAlign	The block alignment (in bytes) of the waveform data. Playback software needs to process a multiple of wBlockAlign bytes of data at a time, so the value of wBlockAlign can be used for buffer alignment.

The **<format-specific-fields>** consists of zero or more bytes of parameters. Which parameters occur depends on the WAVE format category–see the following section for details. Playback software should be written to allow for (and ignore) any unknown **<format-specific-fields>** parameters that occur at the end of this field.

## **WAVE Format Categories**

The format category of a WAVE file is specified by the value of the **wFormatTag** field of the 'fmt' chunk. The representation of data in **<wave-data>**, and the content of the **<format-specific-fields>** of the 'fmt' chunk, depend on the format category.

The currently defined open non-proprietary WAVE format categories are as follows:

wFormatTag Value	Format Category
WAVE_FORMAT_PCM (0x0001)	Microsoft Pulse Code Modulation (PCM) format

The following are the registered proprietary WAVE format categories:

wFormatTag Value	Format Category
IBM_FORMAT_MULAW (0x0101)	IBM mu-law format
IBM_FORMAT_ALAW (0x0102)	IBM a-law format
IBM_FORMAT_ADPCM (0x0103)	IBM AVC Adaptive Differential Pulse Code Modulation format

The following sections describe the Microsoft WAVE\_FORMAT\_PCM format.

## Pulse Code Modulation (PCM) Format

If the **wFormatTag** field of the **<fmt-ck>** is set to WAVE\_FORMAT\_PCM, then the waveform data consists of samples represented in pulse code modulation (PCM) format. For PCM waveform data, the **<format-specific-fields>** is defined as follows:

```
<PCM-format-specific>
struct
{
WORD wBitsPerSample; // Sample size
}
```

The **wBitsPerSample** field specifies the number of bits of data used to represent each sample of each channel. If there are multiple channels, the sample size is the same for each channel.

For PCM data, the **wAvgBytesPerSec** field of the 'fmt' chunk should be equal to the following formula rounded up to the next whole number:

The **wBlockAlign** field should be equal to the following formula, rounded to the next whole number:

#### Data Packing for PCM WAVE Files

In a single-channel WAVE file, samples are stored consecutively. For stereo WAVE files, channel 0 represents the left channel, and channel 1 represents the right channel. The speaker position mapping for more than two channels is currently undefined. In multiple-channel WAVE files, samples are interleaved.

The following diagrams show the data packing for a 8-bit mono and stereo WAVE files:

Sample 1	Sample 2	Sample 3	Sample 4
Channel O	Channel O	Channel O	Channel O

Data Packing for 8-Bit Mono PCM

Samp	le 1	Samp	ole 2
Channel O	Channel 1	Channel O	Channel O
(left)	(right)	(left)	(right)

#### Data Packing for 8-Bit Stereo PCM

The following diagrams show the data packing for 16-bit mono and stereo WAVE files:

_	Sample 1		Samp	ole 2
Ĩ	Channel O	Channel O	Channel O	Channel O
	low-order byte	high-order byte	low-order byte	high-order byte

Data Packing for 16-Bit Mono PCM

Sample 1			
Channel O	Channel O	Channel 1	Channel 1
(left)	(left)	(right)	(right)
low-order byte	high-order byte	low-order byte	high-order byte

Data Packing for 16-Bit Stereo PCM

#### Data Format of the Samples

Each sample is contained in an integer i. The size of i is the smallest number of bytes required to contain the specified sample size. The least significant byte is stored first. The bits that represent the sample amplitude are stored in the most significant bits of i, and the remaining bits are set to zero.

For example, if the sample size (recorded in **nBitsPerSample**) is 12 bits, then each sample is stored in a two-byte integer. The least significant four bits of the first (least significant) byte is set to zero.

The data format and maximum and minimums values for PCM waveform samples of various sizes are as follows:

Sample Size	Data Format	Maximum Value	Minimum Value
One to eight bits	Unsigned integer	255 (OxFF)	0
Nine or more bits	Signed integer <i>i</i>	Largest positive value of <i>i</i>	Most negative value of <i>i</i>

For example, the maximum, minimum, and midpoint values for 8-bit and 16-bit PCM waveform data are as follows:

Format	Maximum Value	Minimum Value	Midpoint Value
8-bit PCM	255 (OxFF)	0	128 (0x80)
16-bit PCM	32767 (0x7FFF)	-32768 (-0x8000)	0

**Examples of PCM WAVE Files** 

Example of a PCM WAVE file with 11.025 kHz sampling rate, mono, 8 bits per sample:

RIFF( 'WAVE' fmt(1, 1, 11025, 11025, 1, 8) data( <wave-data> ) )

Example of a PCM WAVE file with 22.05 kHz sampling rate, stereo, 8 bits per sample:

RIFF( 'WAVE' fmt(1, 2, 22050, 44100, 2, 8) data( <wave-data> ) )

Example of a PCM WAVE file with 44.1 kHz sampling rate, mono, 20 bits per sample:

RIFF(	'WAVE '	INFO(INAM("O Canada"Z))
		fmt(1, 1, 44100, 132300, 3, 20)
		data( <wave-data> ) )</wave-data>

#### Storage of WAVE Data

The **<wave-data>** contains the waveform data. It is defined as follows:

<wave-data> { <data< th=""><th>a-ck&gt;   <data-list> }</data-list></th><th></th></data<></wave-data>	a-ck>   <data-list> }</data-list>	
<data-ck> data( <wa< td=""><td>ave-data&gt; )</td><td></td></wa<></data-ck>	ave-data> )	
<wave-list> LIST( samples</wave-list>	'wavl' { data-ck>	// Wave
bampieb	<silence-ck> }</silence-ck>	) // Silence
<silence-ck> slnt(</silence-ck>	<dwsamples:dword> )</dwsamples:dword>	// Count of // silent samples

*Note:* The 'slnt' chunk represents silence, not necessarily a repeated zero volume or baseline sample. In 16-bit PCM data, if the last sample value played before the silence section is a 10000, then if data is still output to the D to A converter, it must maintain the 10000 value. If a zero value is used, a click may be heard at the start and end of the silence section. If play begins at a silence section, then a zero value might be used since no other information is available. A click might be created if the data following the silent section starts with a nonzero value.

#### **FACT Chunk**

The **<fact-ck>** fact chunk stores important information about the contents of the WAVE file. This chunk is defined as follows:

```
<fact-ck> fact( <dwFileSize:DWORD> ) // Number of samples
```

The "fact" chunk is required if the waveform data is contained in a "wavl" LIST chunk and for all compressed audio formats. The chunk is not required for PCM files using the "data" chunk format.

The "fact" chunk will be expanded to include any other information required by future WAVE formats. Added fields will appear following the **<dwFileSize>** field. Applications can use the chunk size field to determine which fields are present.

#### **Cue-Points Chunk**

The **<cue-ck>** cue-points chunk identifies a series of positions in the waveform data stream. The **<cue-ck>** is defined as follows:

The **<cue-point>** fields are as follows:

Field	Description
dwName	Specifies the cue point name. Each < <b>cue-point</b> > record must have a unique <b>dwName</b> field.
dwPosition	Specifies the sample position of the cue point. This is the sequential sample number within the play order. See "Playlist Chunk," later in this document, for a discussion of the play order.
fccChunk	Specifies the name or chunk ID of the chunk containing the cue point.
dwChunkStart	Specifies the file position of the start of the chunk containing the cue point. This is a byte offset relative to the start of the data section of the 'wavl' LIST chunk.
dwBlockStart	Specifies the file position of the start of the block containing the position. This is a byte offset relative to the start of the data section of the 'wavl' LIST chunk.
dwSampleOffset	Specifies the sample offset of the cue point relative to the start of the block.

## **Examples of File Position Values**

The following table describes the **<cue-point>** field values for a WAVE file containing multiple 'data' and 'slnt' chunks enclosed in a 'wavl' LIST chunk:

Cue Point Location	Field	Value
In a 'slnt' chunk	fccChunk	FOURCC value 'slnt'.
	dwChunkStart	File position of the 'slnt' chunk relative to the start of the data section in the 'wavl' LIST chunk.
	dwBlockStart	File position of the data section of the 'slnt' chunk relative to the start of the data section of the 'wavl' LIST chunk.
	dwSampleOffset	Sample position of the cue point relative to the start of the 'slnt' chunk.
In a PCM 'data' chunk	fccChunk	FOURCC value 'data'.
	dwChunkStart	File position of the 'data' chunk relative to the start of the data section in the 'wavl' LIST chunk.
	dwBlockStart	File position of the cue point relative to the start of the data section of the 'wavl' LIST chunk.
	dwSampleOffset	Zero value.
In a compressed 'data' chunk	fccChunk	FOURCC value 'data'.
	dwChunkStart	File position of the start of the 'data' chunk relative to the start of the data section of the 'wavl' LIST chunk.
	dwBlockStart	File position of the enclosing block relative to the start of the data section of the 'wavl' LIST chunk. The software can begin the decompression at this point.
	dwSampleOffset	Sample position of the cue point relative to the start of the block.

The following table describes the <cue-point> field values for a WAVE file contain</cue-point>	ing
single 'data' chunk:	

Cue Point Location	Field	Value
Within PCM data	fccChunk	FOURCC value 'data'.
	dwChunkStart	Zero value.
	dwBlockStart	Zero value.
	dwSampleOffset	Sample position of the cue point relative to the start of the 'data' chunk.
In a compressed 'data' chunk	fccChunk	FOURCC value 'data'.
	dwChunkStart	Zero value.
	dwBlockStart	File position of the enclosing block relative to the start of the 'data' chunk. The software can begin the decompression at this point.
	dwSampleOffset	Sample position of the cue point relative to the start of the block.

### **Playlist Chunk**

The **<playlist-ck>** playlist chunk specifies a play order for a series of cue points. The **<playlist-ck>** is defined as follows:

The **<play-segment>** fields are as follows:

Field	Description
dwName	Specifies the cue point name. This value must match one of the names listed in the <b><cue-ck< b="">&gt; cue-point table.</cue-ck<></b>
dwLength	Specifies the length of the section in samples.
dwLoops	Specifies the number of times to play the section.

## Associated Data Chunk

The **<assoc-data-list>** associated data list provides the ability to attach information like labels to sections of the waveform data stream. The **<assoc-data-list>** is defined as follows:

<assoc-data-list< th=""><th>&gt; LI</th><th><pre>ST( 'adtl'</pre></th></assoc-data-list<>	> LI	<pre>ST( 'adtl'</pre>
<labl-ck></labl-ck>	labl(	<dwname:dword> <data:zstr> )</data:zstr></dwname:dword>
<note-ck></note-ck>	note(	<dwname:dword> <data:zstr> )</data:zstr></dwname:dword>
<ltxt-ck></ltxt-ck>	ltxt(	<dwname:dword> <dwsamplelength:dword> <dwpurpose:dword> <wcountry:word> <wlanguage:word> <wdialect:word> <wcodepage:word> <data:byte>)</data:byte></wcodepage:word></wdialect:word></wlanguage:word></wcountry:word></dwpurpose:dword></dwsamplelength:dword></dwname:dword>
<file-ck></file-ck>	file(	<dwname:dword> <dwmedtype:dword> <filedata:byte>)</filedata:byte></dwmedtype:dword></dwname:dword>

### Label and Note Information

The 'labl' and 'note' chunks have similar fields. The 'labl' chunk contains a label, or title, to associate with a cue point. The 'note' chunk contains comment text for a cue point. The fields are as follows:

Field	Description
dwName	Specifies the cue point name. This value must match one of the names listed in the <cue-ck> cue-point table.</cue-ck>
data	Specifies a NULL-terminated string containing a text label (for the 'labl' chunk) or comment text (for the 'note' chunk).

## Text with Data Length Information

The "ltxt" chunk contains text that is associated with a data segment of specific length. The chunk fields are as follows:

Field	Description
dwName	Specifies the cue point name. This value must match one of the names listed in the <cue-ck> cue-point table.</cue-ck>
dwSampleLength	Specifies the number of samples in the segment of waveform data.
dwPurpose	Specifies the type or purpose of the text. For example, dwPurpose can specify a FOURCC code like 'scrp' for script text or 'capt' for close-caption text.
wCountry	Specifies the country code for the text. See "Country Codes" in Chapter 2, "Resource Interchange File Format," for a current list of country codes.
wLanguage, wDialect	Specify the language and dialect codes for the text. See "Language and Dialect Codes" in Chapter 2, "Resource Interchange File Format," for a current list of language and dialect codes.
wCodePage	Specifies the code page for the text.

### **Embedded File Information**

The 'file' chunk contains information described in other file formats (for example, an 'RDIB' file or an ASCII text file). The chunk fields are as follows:

Field	Description
dwName	Specifies the cue point name. This value must match one of the names listed in the <cue-ck> cue-point table.</cue-ck>
dwMedType	Specifies the file type contained in the <b>fileData</b> field. If the <b>fileData</b> section contains a RIFF form, the <b>dwMedType</b> field is the same as the RIFF form type for the file.
	This field can contain a zero value.
fileData	Contains the media file.